

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1592	("ad hoc" adhoc) and (customiz\$5 personaliz\$5 (user client subscriber member individual) adj (define determine select\$4 identif\$3)) and (wireless mobile pda handheld palm pager paging) and (@ad<"20010820" @rlad<"20010820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 08:01
L2	402	("ad hoc" adhoc) same (wireless mobile pda handheld palm pager paging) and (customiz\$5 personaliz\$5 (user client subscriber member individual) adj (define determine select\$4 identif\$3)) and (@ad<"20010820" @rlad<"20010820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 08:02
L3	125	("ad hoc" adhoc) same (wireless mobile pda handheld palm pager paging) and (customiz\$5 personaliz\$5 (user client subscriber member individual) adj (define determine select\$4 identif\$3)) and name with address and (@ad<"20010820" @rlad<"20010820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 08:04
L4	1	("ad hoc" adhoc) same (wireless mobile pda handheld palm pager paging) and (customiz\$5 personaliz\$5 (user client subscriber member individual) adj (define determine select\$4 identif\$3)) and (automat\$6 dynamic\$4) with (map\$4 compar\$5 match\$3 synchroniz\$5 filter\$3) with name with address and (@ad<"20010820" @rlad<"20010820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 08:06
L5	26	("ad hoc" adhoc) same (wireless mobile pda handheld palm pager paging) and (customiz\$5 personaliz\$5 (user client subscriber member individual) adj (define determine select\$4 identif\$3)) and (automat\$6 dynamic\$4) with name with address and (@ad<"20010820" @rlad<"20010820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 08:16

L6	12	("ad hoc" adhoc) same (wireless mobile pda handheld palm pager paging) and (customiz\$5 personaliz\$5 (user client subscriber member individual) adj (define determine select\$4 identif\$3)) and (automat\$6 dynamic\$4) with name with (device node terminal componenet machine) near3 address and (@ad<"20010820" @rlad<"20010820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 08:17
L7	12	("ad hoc" adhoc) same (wireless mobile pda handheld palm pager paging) and (customiz\$5 personaliz\$5 (user client subscriber member individual) adj (define determine select\$4 identif\$3)) and (automat\$6 dynamic\$4) with name with (device node terminal componenet machine) near3 address and (operat\$3 service search\$3 execut\$4) near3 (code mode type) and (@ad<"20010820" @rlad<"20010820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 08:17
L8	12	("ad hoc" adhoc) same (wireless mobile pda handheld palm pager paging) and (customiz\$5 personaliz\$5 (user client subscriber member individual) adj (define determine select\$4 identif\$3)) and (automat\$6 dynamic\$4) with name with (device node terminal componenet machine) near3 address and (operat\$3 service search\$3 execut\$4) near3 (code mode type) and (@ad<"20010820" @rlad<"20010820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 08:20
L12	42	("ad hoc" adhoc) and (wireless mobile pda handheld palm pager paging network\$3) and (conflict\$3 duplicat\$3 replica\$4) same name with address and (code mode type) and (@ad<"20010820" @rlad<"20010820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 08:33
L13	45	("ad hoc" adhoc) and (wireless mobile pda handheld palm pager paging network\$3) and select\$4 with name and name with address and operation adj (code mode type) and (@ad<"20010820" @rlad<"20010820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 08:34

L17	0	("ad hoc" adhoc) and (wireless mobile pda handheld palm pager paging network\$3) and select\$4 same name same operation near3 (code mode type) and name with (node device component terminal unit) near3 address and (@ad<"20010820" @rlad<"20010820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 08:37
L18	1	("ad hoc" adhoc) and select\$4 same name same (service operation) near3 (code mode type) and name with (node device component terminal unit) near3 address and (@ad<"20010820" @rlad<"20010820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 08:39
L19	24	("ad hoc" adhoc wireless mobile) and select\$4 same name same (service operation) near3 (code mode type) and name with (node device component terminal unit) near3 address and (@ad<"20010820" @rlad<"20010820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 08:41
L21	8	("ad hoc" adhoc wireless mobile) and select\$4 same name same (service operation) near3 (code mode type) and (defin\$3 determin\$3 select\$4 identif\$3 customiz\$3 distribut\$3 pars\$3) near3 name with (node device component terminal unit) near3 address and (@ad<"20010820" @rlad<"20010820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 08:42